Clough Primary School

ANAPHYLAXIS POLICY





Signed:

Date:

Review Date: By June 2024

What is anaphylaxis?

Anaphylaxis is an acute, severe allergic reaction requiring immediate medical attention. It usually occurs within seconds or minutes of exposure to a certain food or substance, but on rare occasions may happen after a few hours.

Common triggers include peanuts, tree nuts, sesame, eggs, cow's milk, fish, certain fruits such as kiwifruit, and also penicillin, latex and the venom of stinging insects (such as bees, wasps or hornets).

The most severe form of allergic reaction is anaphylactic shock, when the blood pressure falls dramatically and the patient loses consciousness. Fortunately, this is rare among young children below teenage years. More commonly among children there may be swelling in the throat, which can restrict the air supply, or severe asthma. Any symptoms affecting the breathing are serious. Less severe symptoms may include tingling or itching in the mouth, hives anywhere on the body, generalised flushing of the skin or abdominal cramps, nausea and vomiting.

Even where mild symptoms are present, the child should be watched carefully. They may be heralding the start of a more serious reaction.

Medicine and Control

The treatment for a severe allergic reaction is an injection of adrenaline (also known as epipen). Pre-loaded injection devices containing one measured dose of adrenaline are available on prescription. The devices are available in two strengths – adult and junior.

Should a severe allergic reaction occur, the adrenaline injection should be administered into the muscle of the upper outer thigh. **An ambulance should always be called.**

Staff that volunteer to be trained in the use of these devices can be reassured that they are simple to administer. Adrenaline injectors, given in accordance with the manufacturer's instructions, are a well-understood and safe delivery mechanism.

It is not possible to give too large a dose using this device. The needle is not seen until after it has been withdrawn from the child's leg. In cases of doubt it is better to give the injection than to hold back.

Currently, we have one child known to have nut allergies. Their epipen and care plan are kept in named box in the school office. All staff are aware of this location.

Staff that are susceptible to severe anaphylaxis should ensure they carry their own epipen.

Studies have shown that the risks for allergic children are reduced where an individual health care plan is in place. Reactions become rarer and when they occur they are mostly mild. The plan will need to be agreed by the child's parents, the school and the treating doctor.

Important issues specific to anaphylaxis to be covered include:

- anaphylaxis what may trigger it
- what to do in an emergency
- prescribed medicine
- food management
- precautionary measures

Once staff have agreed to administer medicine to an allergic child in an emergency, a training session will be provided by local health services. Staff should have the opportunity to practice with trainer injection devices.

At Clough Primary School and Nursery Unit we update staff annually.

Day to day policy measures are needed for food management, awareness of the child's needs in relation to the menu, individual meal requirements and snacks in school.

Kitchen staff are fully aware of the child's particular requirements. Children have been asked not to bring in peanuts as part of their break or packed lunch and the kitchen is able to provide meals that do not contain nuts.

Children who are at risk of severe allergic reactions are not ill in the usual sense. They are normal children in every respect – except that if they come into contact with a certain food or substance, they may become very unwell.

At Clough Primary School and Nursery unit we aim to ensure children are not stigmatised or made to feel different. We also recognise that it is important, too, to allay parents' fears by reassuring them that prompt and efficient action will be taken in accordance with medical advice and guidance.

Anaphylaxis is manageable. With sound precautionary measures and support from the staff, school life may continue as normal for all concerned. Charity Stall items should be free from nuts.

This policy was adapted _____

Signed _____ Chairperson B.O.G.